



IBM

C2090-311

IBM DB2 10.5 DBA for LUW Upgrade from DB2 10.1

Answer: D

QUESTION: 27

Which command, when executed, will enable workload management for column-organized table workloads?

- A. db2setDB2_WORKLOAD=ANALYTICS
- B. db2set DB2_WLM_DISP_CONCUR=START
- C. UPDATE DBM CFG USING WLM_DISPATCHER YES
- D. UPDATE DBM CFG USING WORKLOAD TYPE ANALYTICAL

Answer: C

QUESTION: 28

When does space reclamation for a column-organized table normally occur?

- A. Whenever an individual row is deleted.
- B. Whenever an individual row is updated.
- C. After all rows in an extent have been updated.
- D. After all rows in an extent where updates took place have been deleted.

Answer: A

QUESTION: 29

When can a high availability disaster recovery (HADR) role switch operation be performed in a DB2 pureScale environment?

- A. When crash recovery is occurring on the standby cluster.
- B. When all the log streams are in peer or assisted remote catchup state.
- C. When the primary database is not connected to the standby database.
- D. All the log streams are in remote catchup state and the synchronization mode is NEARASYNC.

Answer: D

QUESTION: 30

Which statement about expression-based indexes is true?

- A. The RUNSTATS command cannot be used to collect statistics for expression-based indexes.
- B. Expression-based indexes must always be defined as UNIQUE to prevent duplicate index keys.
- C. Expression-based index keys consist of a concatenation of one or more specified table columns.
- D. The index key values of expression-based indexes are not the same as the values in the corresponding table columns.

Answer: D

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!