

# CertKillers

Guaranteed Success with Accurate & Updated Questions.

## *Informatica*

*IICS  
Informatica Intelligent Cloud Service*

### Questions & Answers PDF

**For More Information - Visit:**  
<https://www.certkillers.net/>

# Latest Version: 6.0

## Question: 1

\_\_\_\_\_ should be provided when you configure the decryption action for a mass Ingestion task

- A. Key passphrase
- B. Key Pair
- C. Key Ring
- D. Key ID

**Answer: A**

## Question: 2

Which of the Data Integration transformation is present in PowerCenter but not in Cloud

- A. Data Masking
- B. Update Strategy
- C. Normalizer
- D. Web Services

**Answer: B**

## Question: 3

Select all the mandatory options which should be provided for creating a REST V2 connection

- A. Swagger File Path
- B. Authentication
- C. Auth ID
- D. Keystore File Path

**Answer: A,B**

Explanation:

Connection Name , Type, Runtime Environment , Authentication and Swagger File Path are the required options to be filled create a REST V2 connection

## Question: 4

\_\_\_\_\_ is an object that defines the interaction between the Process Designer and the service, so the connector can send and receive data.

- A. Process Designer
- B. Process Connector
- C. Service Connector
- D. Service Designer

**Answer: C**

## Question: 5

Select all the valid license categories available in IICS

- A. API licenses
- B. Connector licenses
- C. Custom licenses
- D. Edition licenses

**Answer: B,C,D**

## Question: 6

Select all the tasks which can be performed in Mapping Configuration task but not in Data Synchronization task

- A. Push down Optimization
- B. Read and Write operation
- C. Connected Lookup
- D. Connection Parameterization

**Answer: A,C,D**

Explanation:

Push down Optimization , Connected Lookup and Connection Parameterization are supported in Mapping Configuration task only

## Question: 7

You can use the Cloud Internal variables(\$LastRunDate/\$LastRunTime) directly in Saved Query, SQL Select statements

- A. FALSE
- B. TRUE

**Answer: A**

Explanation:

Saved Query does not support the Cloud Internal variables directly in SQL Select statement

### Question: 8

Multiple object source type can be used with Note: There can be multiple correct answersto this question

- A. Salesforce Connections
- B. Database Connections
- C. Application Connections
- D. Flat Files Connections

**Answer: A,B**

Explanation:

You can import multiple objects using multiple object source type from Database and Salesforce Connections

### Question: 9

Which File Input type you should select in Hierarchy Parser Transformation, when the xmlfison data is in a file and want to parse the same?

- A. Splitting
- B. Buffer
- C. Parse
- D. File

**Answer: D**

### Question: 10

---

For Data masking tasks, staging connection has to be provided if Note: There can be multiple correct answers to this question

- A. Data has to be read from multiple source objects
- B. Data filter has to be applied
- C. The task has to use a different source and target connections
- D. By default, the masking task stages the source data to apply the data masking rules on the secure agent, and the stage data automatically dropped after the successful execution of the job

**Answer: A,B,C**